BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA8384**

SAMPLE RECEIVED
August 13, 2026

COA ISSUED
August 17, 2026

SAMPLE INFORMATION

Vendor
SlateSupplyCo

Sample Name
BBG70

Sample Type
Blue lyophilized powder

Lot Number
081026

MW (g/mol)
402.9, 14419.5, 889

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: BBG70	GHK-Cu, TB-500, BPC-157	LC-MS/MS	✓ Conforms
Content	50.82, 10.33, 10.52 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.96%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 1.941, 2.316, 9.199 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.